



Erlang: An Overview

Part 4 – Testing Erlang Programs



A sorting program

```
%% my first sort program, inspired by QuickSort
-module(my_sort).
-export([sort/1]).

-spec sort([T]) -> [T].
sort([]) -> [];
sort([P|Xs]) ->
    sort([X || X <- Xs, X < P])
    ++ [P] ++ sort([X || X <- Xs, P < X]).
```

- How do we know that software works?
 - One commonly used method is to use testing
- Let's do manual testing of Erlang programs first
 - Relatively easy due to the interactive shell



Manual testing in the shell

```
Eshell V9.1.3 (abort with ^G)
1> c(my_sort).
{ok,my_sort}
2> my_sort:sort([]).
[]
3> my_sort:sort([17,42]).
[17,42]
4> my_sort:sort([42,17]).
[17,42]
5> my_sort:sort([3,1,2]).
[1,2,3]
```

- Seems to work!
- However, perhaps it's not a good idea to execute these tests repeatedly by hand
 - Let's put them in a file ...
 - ... and exploit the power of pattern matching



A sorting program with unit tests

```
-module(my_sort).  
-export([sort/1, sort_test/0]).  
  
-spec sort([T]) -> [T].  
sort([]) -> [];  
sort([P|Xs]) ->  
    sort([X || X <- Xs, X < P])  
    ++ [P] ++ sort([X || X <- Xs, P < X]).  
  
-spec sort_test() -> ok.  
sort_test() ->  
    [] = sort([]),  
    [17,42] = sort([17,42]),  
    [17,42] = sort([42,17]),  
    [1,2,3,4] = sort([3,1,4,2]),  
    ok.
```

Convention:
program code in this and
the following slides use
boldface for showing the
parts of the program that
were added or changed
w.r.t. the previous code

- And now let's use EUnit to run them automatically



Running tests using EUnit

```
6> my_sort:sort_test().  
ok  
7> eunit:test(my_sort).  
Test passed.  
ok
```

- EUnit in its simplest form is a test framework to automatically run all `_test` functions in a module.
- Calling `eunit:test(Module)` was all that was needed here.
- However, EUnit can do much more...

Let us, temporarily, change one test to:

```
[1,3,2,4] = sort([3,1,4,2])
```

and see what happens



EUnit and failures

```
8> c(my_sort).
{ok,my_sort}
9> eunit:test(my_sort).
my_sort: sort_test (module 'my_sort')...*failed*
in function my_sort:sort_test/0 (my_sort.erl, line 13)
** error:{badmatch,[1,2,3,4]}

=====
Failed: 1. Skipped: 0. Passed: 0.
error
```

- Reports number of tests that failed and why
 - the report is pretty good, but it can get even better
 - using EUnit macros



A sorting program with EUnit tests

```
%% my first sort program, inspired by QuickSort
-module(my_sort).
-export([sort/1, sort_test/0]).

-include_lib("eunit/include/eunit.hrl").

-spec sort([T]) -> [T].
sort([]) -> [];
sort([P|Xs]) ->
    sort([X || X <- Xs, X < P])
    ++ [P] ++ sort([X || X <- Xs, P < X]).

-spec sort_test() -> ok.
sort_test() ->
    ?assertEqual([], sort([])),
    ?assertEqual([17,42], sort([17,42])),
    ?assertEqual([17,42], sort([42,17])),
    ?assertEqual([1,3,2,4], sort([3,1,4,2])),
    ok.
```



Unit testing using EUnit macros

```
10> c(my_sort).
my_sort.erl:2 Warning: function sort_test/0 already exported
{ok,my_sort}
11> eunit:test(my_sort).
my_sort: sort_test (module 'my_sort')...*failed*
in function my_sort:'-sort_test/0-fun...'/1 (my_sort.erl, line 15)
in call from my_sort:sort_test/0 (my_sort.erl, line 15)
** error:{assertEqual_failed,[{module,my_sort},
                               {line,15},
                               {expression,"sort ( [3,1,4,2] )"},
                               {expected,[1,3,2,4]},
                               {value,[1,2,3,4]}]}

=====
Failed: 1. Skipped: 0. Passed: 0.
error
```

- This report is much more detailed
- But, it considers the complete set of tests as one



EUnit test generators

```
-module(my_sort).
-export([sort/1]).

-include_lib("eunit/include/eunit.hrl").

sort([]) -> ...

sort_test_() ->      % notice trailing underscore
  [test_zero(), test_two(), test_four()].

test_zero() ->
  [?_assertEqual([], sort([]))]. % notice underscores
test_two() ->
  [?_assertEqual([17,42], sort([17,42])),
   ?_assertEqual([17,42], sort([42,17]))].
test_four() ->      % erroneous test
  [?_assertEqual([1,3,2,4], sort([3,1,4,2]))].
```



EUnit test generators

```
12> c(my_sort).
{ok,my_sort}
13> eunit:test(my_sort).
my_sort:20 test_four...*failed*
in function my_sort:'-test_four/0-fun...'/1 (my_sort.erl, line 20)
** error:{assertEqual_failed,[{module,my_sort},
                               {line,20},
                               {expression,"sort ( [3,1,4,2] )"},
                               {expected,[1,3,2,4]},
                               {value,[1,2,3,4]}]}

=====
Failed: 1.  Skipped: 0.  Passed: 3.
error
```

- EUnit now reports accurate numbers of passed and failed test cases
- In fact, we can test EUnit generators individually



EUnit test generators

```
14> eunit:test({generator, fun my_sort:sort_test_/0}).
my_sort:20 test_four...*failed*
in function my_sort:'-test_four/0-fun...'/1 (my_sort.erl, line 20)
** error:{assertEqual_failed,[{module,my_sort},
                               {line,20},
                               {expression,"sort ( [3,1,4,2] )"},
                               {expected,[1,3,2,4]},
                               {value,[1,2,3,4]}]}

=====
Failed: 1. Skipped: 0. Passed: 3.
error
```

- This works only for test generator functions
(not very impressive, as there is only one in this example)
- There are other forms that may come handy (RTFM)
e.g. `{dir, Path}` to run all tests for the modules in `Path`



EUnit test generators

- Let us undo the error in the `test_four` test,
- add one more EUnit generator with two tests,

```
another_sort_test_() ->
    [test_five()].
```

```
test_five() ->
    [?_assertEqual([1,2,3,4,5], sort([1,3,2,4,5])),
     ?_assertEqual([1,2,3,4,5], sort([1,4,5,2,3]))].
```

- and run again: all tests and just the new ones.

```
15> c(my_sort).
{ok,my_sort}
16> eunit:test(my_sort).
All 6 tests passed
ok
17> eunit:test({generator, fun my_sort:another_sort_test_/0}).
All 2 tests passed
ok
```



There is more to EUnit...

- More macros
 - Utility, assert, debugging, controlling compilation
- Support to run tests in parallel
- Lazy generators
- *Fixtures* for adding scaffolding around tests
 - Allow to define setup and teardown functions for the state that each of the tests may need
 - Useful for testing stateful systems

For more information consult the EUnit manual

Towards automated testing

- Testing accounts for a large part of software cost
- Writing (unit) tests by hand is
 - boring and tedious
 - difficult to be convinced that all cases were covered
- Why not automate the process?
 - Yes, but how?
- One approach is **property-based testing**
 - Instead of writing test cases, let's write properties that we would like our software (functions) to satisfy
 - and use a tool that can automatically generate random inputs to test these properties.



Property for the sorting program

```
-module(my_sort).
-export([sort/1]).

-include_lib("proper/include/proper.hrl").
-include_lib("eunit/include/eunit.hrl").

-spec sort([T]) -> [T].
sort([]) -> [];
sort([P|Xs]) ->
    sort([X || X <- Xs, X < P])
    ++ [P] ++ sort([X || X <- Xs, P < X]).

prop_ordered() ->
    ?FORALL(L, list(integer()), ordered(sort(L))).

ordered([]) -> true;
ordered([_]) -> true;
ordered([A,B|T]) -> A =< B andalso ordered([B|T]).
```



Testing the ordered property

```
$ erl -pa /path/to/proper/ebin
Erlang/OTP 20 [erts-9.1.3] [...] ...

Eshell V9.1.3 (abort with ^G)
1> c(my_sort).
{ok,my_sort}
2> proper:quickcheck(my_sort:prop_ordered()).
..... 100 dots .....
OK: Passed 100 tests
true
3> proper:quickcheck(my_sort:prop_ordered(), 4711).
..... 4711 dots .....
OK: Passed 4711 tests
true
```

- Runs any number of “random” tests we feel like
- If all tests satisfy the property, reports that all tests passed



Another property for sorting

```
-module(my_sort).
-export([sort/1]).

-include_lib("proper/include/proper.hrl").
-include_lib("eunit/include/eunit.hrl").

-spec sort([T]) -> [T].
sort([]) -> [];
sort([P|Xs]) ->
    sort([X || X <- Xs, X < P])
    ++ [P] ++ sort([X || X <- Xs, P < X]).

prop_ordered() ->
    ?FORALL(L, list(integer()), ordered(sort(L))).

prop_same_length() ->
    ?FORALL(L, list(integer()),
        length(L) == length(sort(L))).

ordered([]) -> ...
```



Testing the same length property

```
4> c(my_sort).
{ok,my_sort}
5> proper:quickcheck(my_sort:prop_same_length()).
.....!
Failed: After 14 test(s).
[1,3,-3,10,-3]

Shrinking (6 time(s))
[0,0]
false
6> proper:quickcheck(my_sort:prop_same_length()).
.....!
Failed: After 13 test(s).
[2,-8,-3,1,1]

Shrinking .(1 time(s))
[1,1]
false
```



Properties with preconditions

- Let us suppose that we actually *wanted* that our program only sorts lists without duplicates
- How would we write the property then?

```
prop_same_length() ->
  ?FORALL(L, list(integer()),
    ?IMPLIES(no_duplicates(L),
      length(L) == length(sort(L)))).

%% better implementations of no_duplicates/1 exist
no_duplicates([]) -> true;
no_duplicates([A|T]) ->
  not lists:member(A, T) andalso no_duplicates(T).
```

```
7> proper:quickcheck(my_sort:prop_same_length()).
.....X.X.....X.XX..X...XX.XXXX.....X...XX.XXX
.....XX.X.X.....X.X.X.X.X.....XXXXX.XXXXXX...X.X.X.X.X.
OK: Passed 100 tests
```



Custom generators

- An even better way is to try to generate lists without duplicates in the first place!

```
list_no_dupls(T) ->
    ?LET(L, list(T), remove_duplicates(L)).

%% better versions of remove_duplicates/1 exist
remove_duplicates([]) -> [];
remove_duplicates([A|T]) ->
    case lists:member(A, T) of
        true -> remove_duplicates(T);
        false -> [A|remove_duplicates(T)]
    end.
```

```
prop_same_length() ->
    ?FORALL(L, list_no_dupls(integer()),
            length(L) == length(sort(L))).
```

```
7> proper:quickcheck(my_sort:prop_same_length()).
..... 100 dots .....
OK: Passed 100 tests
```



Testing for stronger properties

- The properties we tested were quite weak.
- How about ensuring that the list after sorting has the same elements as the original one?
- We can use some 'obviously correct' function as reference implementation and test equivalence

```
prop_equiv_usort() ->
  ?FORALL(L, list(integer()),
    sort(L) ::= lists:usort(L)).
```

```
8> proper:quickcheck(my_sort:prop_equiv_usort()).
..... 100 dots .....
OK: Passed 100 tests
```

- **Note:** PropEr is ideally suited for easily checking equivalence of two functions and gradually refining or optimizing one of them!



Beyond monotypic testing

- But why were we testing for lists of integers?
- We do not have to! We can test for general lists!

```
prop_equiv_usort() ->  
  ?FORALL(L, list(), sort(L) == lists:usort(L)).
```

```
9> proper:quickcheck(my_sort:prop_equiv_usort()).  
..... 100 dots .....  
OK: Passed 100 tests
```

Shrinking general terms

- How does shrinking work in this case?
- Let's modify the property to a false one and see

```
prop_equiv_sort() ->
  ?FORALL(L, list(), sort(L) == lists:sort(L)).
```

```
10> proper:quickcheck(my_sort:prop_equiv_sort()).
.....!
Failed: After 14 test(s)
[[[]],[<<54,17,42:7>>],4],{},{},-0.05423250622902363,{},{42,<<0:3>>}]

Shrinking ...(3 time(s))
[{},{}]
false
11> proper:quickcheck(my_sort:prop_equiv_sort()).
.....!
Failed: After 28 test(s)
[{},[[],6,'f%Co',{42},.... A REALLY BIG COMPLICATED TERM HERE
                               CONTAINING TWO EMPTY LISTS

Shrinking ....(4 time(s))
[[],[]]
false
```



Built-in generators

- *any Erlang term*
- `atom()`
- `boolean()`
- `integer()`
- `pos_integer()`, ...
- `range(L,H)`
`range(17,42)`
- `any()`
- `list(G)`
- `vector(Len,G)`
- `union(Gs)`
`union([a,b])`
- `frequency(Gs)`
`frequency([{1,a},{4,b}])`

Testing frameworks

	Unit Testing	Property-Based Testing
Acquire a valid input	User-provided inputs	Generated semi-randomly from specification
Run the test	Automatic	Automatic
Decide if it passes	User-provided expected outputs	Partial correctness property

More about PropEr

- Homepage: <http://proper.softlab.ntua.gr>
- GitHub: <http://github.com/manopapad/proper>



1. Manolis Papadakis and Konstantinos Sagonas. A PropEr integration of types and function specifications with property-based testing. In *Proceedings of the 10th ACM SIGPLAN Workshop on Erlang*, pages 39-50, Sept. 2011. ACM Press. doi: [10.1145/2034654.2034663](https://doi.org/10.1145/2034654.2034663)